

AMENDMENT

Please cancel claim 23 and amend claim 18 as follows:

18. (Currently Amended) A solid support comprising a support surface with an array of functionalized sites wherein a solution at a functionalized site is separated from solutions at other functionalized sites by surface tension, and wherein the support surface of the functionalized site has a higher surface tension relative to the support surface surrounding the functionalized site.
19. (Previously Presented) The solid support of claim 18 wherein said support surface has $10\text{-}10^4$ functionalized sites per cm^2 .
20. (Previously Presented) The solid support of claim 18 wherein said functionalized site is about 50-2000 microns in diameter.
21. (Previously Presented) The solid support of claim 18 wherein said support surface is glass.
22. (Previously Presently) The solid support of claim 18 wherein said support surface is selected from the group consisting of nylon, polyethylene, polypropylene, polystyrene and polytetrafluorethylene.
23. (Canceled)
24. (Previously Presented) The solid support of claim 18 wherein said functionalized site provides attachment to a nucleic acid.
25. (Previously Presented) The solid support of claim 18 wherein said functionalized site provides attachment to a peptide.
26. (Previously Presented) The solid support of claim 18, 24 or 25 wherein said functionalized site provides a covalent attachment.
27. (Previously Presented) The solid support of claim 18, 24 or 25 wherein said functionalized site provides a non-covalent attachment.